

***** CLASSIF1: VALIDATION SET SAIS1 (2016) CLINICAL TRIAL 0-26WEEKS *****

=====

PROGRAM: -----	CLASSIFF -----	Dec.28,2024 17:24:08h
----------------	----------------	-----------------------

=====

NR.	CLASSIFIER CATEGOR.	CATEGORY ABBREVIAT.	COIN	CLASSIFIER MASKS
1	GLIMEPI 26W	0 (ref)	1.00 +	
		(ref)	1.00 0	
		(ref)	1.00	
2	SITAGLI 26W	1	1.00 -	

REC. NR.	DATAB: SIGLI26W.BI6 RECORD LABELS	CLASSIF1-CLASSIFIC. - =unkn.smple <.00	MASK COIN	SAMPLE CLASSIF.MASKS . = no value
10	010 ?0	0	1.00 +	
15	015 ?0	0	1.00 +	
20	020 ?0	0 ==GLIMEPI_26W==	1.00 0	
25	025 ?0	0	1.00 +	
30	030 ?0	0	1.00 +	
35	035 ?0	0	1.00 0	
50	050 ?0	0	1.00 0	
1	001 ?0	1	1.00 -	
5	005 ?0	1	1.00 -	
40	040 ?0	1 ==FALSE POSIT==	1.00 -	
55	055 ?0	1	1.00 -	
45	045 ?0	(.) ==UNCLASSIF==	.00 .	
56	056 ?1	1	1.00 -	
60	060 ?1	1	1.00 -	
80	080 ?1	1	1.00 -	
65	065 ?1	0	1.00 0	
85	085 ?1	0	1.00 0	
90	090 ?1	0	1.00 0	
95	095 ?1	0	1.00 0	
100	100 ?1	(.)	.00 .	
70	070 ?1	(.) ==UNCLASSIF==	.00 .	
75	075 ?1	(.) (NO DATA)	.00 .	

TRAINING SET DATABASE: SIGLI26W.BI4

SAMP.	SAMPLE NAME	% CORR
38	0 =GLIMEPIRIDE	81.6
34	1 =SITAGLIPTIN	52.9

32 DATABASE COLUMNS

+1 USED AS CLASSIFIC.MASK PARAMETER(S)

7 ITERATIONS FOR MASK IMPROVEMENT

20-80% PERCENTILES FOR CLASSIFICATION

67.25% AVERAGE RECOGNITION INDEX (ARV)

1.00 AVERAGE MULTIPLICITY INDEX (AMI)

69.00 AVERAGE PREDICTIVE VALUE (APV)

CLASSIF1 AGAINST CONTROL SAMPLES

LEARNING SET DATABASE: SIGLI26W.BI4

MASK PAR.	DB- COL.	PARAMETER EXPLANATION	PERC (%)	ORIG COL.	ORIGINAL DATABASE	CLASSIFIC. REF. FILE	CTR	H
1		31= D-ROMS	20/80	31	SIGLI26W.BI4	SIGLI26W.RE4	0+	-
