

***** CLASSIF1: VALIDATION SET SAIS: (2016) CLINICAL TRIAL 0-26WEEKS *****

PROGRAM: CLASSIFF Dec.28,2024 21:03:30h

NR.	CLASSIFIER CATEGOR.	CATEGORY ABBREVIAT.	COIN	CLASSIFIER MASKS
1	GLIMEPIRIDE	0 (ref)	1.00	+ 00000
2	SITAGLIPTIN	1 (ref)	1.00	---- ++++-

REC. NR.	DATAB: SIGLI26W.BI6 RECORD LABELS	CLASSIF1-CLASSIFIC. - =unkn.smple <.00	MASK COIN	SAMPLE CLASSIF.MASKS . = no value
1	001 ?0	0	.80	0000-
10	010 ?0	0 ==GLIMEPI_26W==	.60	+0-++
15	015 ?0	0	1.00	-0-0+
20	020 ?0	0	.80	--+00
25	025 ?0	0	.60	00+++
30	030 ?0	0	.80	0-+++
35	035 ?0	0	.80	00+-0
40	040 ?0	0	.60	00+--
50	050 ?0	0	.80	--+00
55	055 ?0	0	.60	00+--
5	005 ?0	1 ==FALSE POSIT==	.80	+++0-
45	045 ?0	(.) ==UNCLASSIF==	.00
56	056 ?1	1	.60	--++-
85	085 ?1	1 ==SITAGLI_26W==	.80	++++0
60	060 ?1	0	.60	00-+-
65	065 ?1	0	.80	-0+-0
80	080 ?1	0 ==FALSE NEGAT==	.80	-000-
90	090 ?1	0	1.00	--0-0
95	095 ?1	0	.80	-0+00
70	070 ?1	(.)	.00
75	075 ?1	(.) ==UNCLASSIF==	.00
100	100 ?1	(.) (NO DATA)	.00

TRAINING SET DATABASE: SIGLI26W.BI4

SAMP.	SAMPLE NAME	% CORR
38	0 =GLIMEPIR_26W	84.2
32	1 =SITAGLIP_26W	59.4

32 DATABASE COLUMNS
 5 USED AS MASK PARAMETERS
 42 ITERATIONS FOR MASK IMPROVEMENT
 25-75% PERCENTILES FOR CLASSIFICATION
 72.05% AVERAGE RECOGNITION INDEX (ARV)
 1.00 AVERAGE MULTIPLICITY INDEX (AMI)
 75.15 AVERAGE PREDICTIVE VALUE (APV)
 CLASSIF1 AGAINST CONTROL SAMPLES

TRAINING SET DATABASE: SIGLI26W.BI4

MASK PAR.	DB- COL.	PARAMETER EXPLANATION	PERC (%)	ORIG COL.	ORIGINAL DATABASE	CLASSIFIC. REF.FILE	CTR	H
1	17	= CPR	25/75	17	SIGLU26W.BI4	SIGLI26W.RE4	-0	+
2	22	= TRIGLYC	25/75	22	SIGLU26W.BI4	SIGLI26W.RE4	-0	+
3	25	= SOD_	25/75	25	SIGLU26W.BI4	SIGLI26W.RE4	-0	+
4	28	= TNF-?	25/75	28	SIGLU26W.BI4	SIGLI26W.RE4	-0	+
5	31	= D-ROMS	25/75	31	SIGLU26W.BI4	SIGLI26W.RE4	0+	-