

***** CLASSIF1: TRAINING SET SAIS1 (2016) CLINICAL TRIAL 0-26 WEEKS *****

=====

| PROGRAM: ----- CLASSIFL----- PART: 2/4 Dec.28,2024 21:03:26h |

=====

CONFUSION MATRIX (% PAT)
DATABASE: SIGLI26W.BI4

REFER. CLASS.	PAT. n	CLASSIF1-CLASS 0	CLASSIF1-CLASS 1
0	38	84.2	15.8
1	34	44.1	55.9
PredVal	--	68.1	76.0

0 =GLIMEPI_26W
1 =SITAGLI_26W
-aver.recog.val (ARV): 70.1%
-aver.multipl.ind (AMI): 1.00 (acceptable range: 1.0-1.2)
-aver.predict.val (APV): 72.1%
-percentile range: 25-75%
-analyzed patients: *103*
-downl.EXCEL file pat: *103*
optimize spec+sens mxsumgt
classify against reference

TRAINING SET DATABASE: SIGLI26W.BI4

MASK PAR.	DB- COL.	PARAMETER EXPLANATION	PERC (%)	ORIG COL.	ORIGINAL DATABASE	CLASSIFIC. REF. FILE	CTR	U H
							0	1
1		17= CPR	25/75	17	SIGLI26W.BI4	SIGLI26W.RE4	-0	+
2		22= TRIGLYC	25/75	22	SIGLI26W.BI4	SIGLI26W.RE4	-0	+
3		25= SOD_	25/75	25	SIGLI26W.BI4	SIGLI26W.RE4	-0	+
4		28= TNF-?	25/75	28	SIGLI26W.BI4	SIGLI26W.RE4	-0	+
5		31= D-ROMS	25/75	31	SIGLI26W.BI4	SIGLI26W.RE4	0+	-

5 OF 32 DATABASE COLUMNS WERE USED FOR MASKS
42 ITERATIONS FOR MASK IMPROVEMENT WERE PERFORMED
